# Real-Time Spherical Mosaicing using whole image alignment




team5 Andreas Bigontina Oleksandr Golovatenko Vladyslav Usenko

#### **Contents**

- 1. Task Clarification
- 2. Solution Implementation
- 3. Encountered Problems
  - Global optimization: regularization
- 4. ROS Interface
- 5. Documentation

## Task Clarification

Implement real-type video mosaicing algorithm based on parallel image alignment via ESM and global optimization of a map of keyframes over the whole viewsphere.



S. Lovegrove and A. J. Davison, "Real-time spherical mosaicing using whole image alignment"

## Solution Implementation

- Local Motion Estimation
  - Status: done + bugs fixed
  - Comment: whole image alignment + ESM
- Global Map Optimization
  - Status: implemented. Code and math review required.
  - Comment: ESM
- GPU implementation using OpenCL
  - Status: already using pyopencl
  - Comment: memory vs. performance

## Solution Implementation

- Real-time video camera tracking
  - Status: cannot be achieved due to hardware limitations
- Parallel threads implementation
  - Status: already done in camera tracking
  - Comment: may need revision in ROS implementation
- ROS implementation
  - Status: done
- System performance/accuracy estimation
  - Status: planned

#### **Encountered Problems**

- 1. Global optimization: regularization
- 2. Boundary effects for gradient computation:
  - Computing image gradients, we used Mirror Reflection for point outside boundaries
- 3. Accumulated error in rotation matrices:
  - Rodriges formula to enforce orthonormality
  - SVD also might be used

# Global optimization: regularization

$$f(x) = \frac{1}{2} \sum_{j} \sum_{i} \sum_{p_{j} \in \Omega_{j}} \left[ \mathcal{I}^{i} \left( \mathbf{H}^{ij}(x) p_{j} \right) - \mathcal{I}^{j} \left( p_{j} \right) \right]^{2}$$

$$f'^{(x)} = f(x) + \frac{1}{2} \mu^2 \left( f_u e^{k0} - f_{u\; init} \right)^2 + \frac{1}{2} \mu^2 \left( f_v e^{k1} - f_{v\; init} \right)^2 +$$

$$\frac{1}{2}\mu^2(u_0e^{k2}-u_{0\,init})^2+\frac{1}{2}\mu^2(v_0e^{k3}-v_{0\,init})^2$$

$$\left. \frac{\partial f'(x)}{\partial k_0} \right|_0 = \mu f_u(f_u - f_{u \, init})$$

$$f'_{k0}(0) = \mu(f_u - f_{u \ init})$$

## **ROS** Interface

- Subscribe to
  - "/camera/image\_color\_rect"
  - "/camera/camera\_info"
- Publish
  - "/panorama/image"

#### Documentation

 You can find source code with its description, documentation and usage examples here: <a href="https://github.com/tum-uav/rvc">https://github.com/tum-uav/rvc</a> team5/tree/master/spherical mosaicing