Cyber Physical Systems Seminar: Safety and Performance of Compliant Robots

Advisor: Andrea Giusti

TU München

1. Jul. 2016

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.



Source: [1]

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.



Source: [1]

 Compliant components in the joints help in reducing the injuries of accidental collisions and enhance robustness of the joint itself.

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.



Source: [1]

 Compliant components in the joints help in reducing the injuries of accidental collisions and enhance robustness of the joint itself.

This is nice but...

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.



Source: [1]

 Compliant components in the joints help in reducing the injuries of accidental collisions and enhance robustness of the joint itself.

This is nice but...

• Elasticity in the joints is a source of degradation of the motion control the performance.

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.





 Compliant components in the joints help in reducing the injuries of accidental collisions and enhance robustness of the joint itself.

This is nice but...

- Elasticity in the joints is a source of degradation of the motion control the performance.
- The activity includes a **literature review** on this topic, paying special attention to the relation between safety constraints and performance.

Technology and methods to ensure safety in a shared workspace between humans and robots are of increasing interest.





 Compliant components in the joints help in reducing the injuries of accidental collisions and enhance robustness of the joint itself.

This is nice but...

- Elasticity in the joints is a source of degradation of the motion control the performance.
- The activity includes a **literature review** on this topic, paying special attention to the relation between safety constraints and performance.

Starting reference: [1] Bicchi, A.; Tonietti, G., "Fast and "soft-arm" tactics [robot arm design]," Robotics & Automation Magazine, IEEE, vol.11, no.2, pp.22,33, June 2004.

Seminar topics